



Snap and Charge



POWER BANK CATEGORY

100W

Retractable Cable Power Bank



100 W

10000mAh

P090

Input:

USB-C1: 60W max.

USB-C2 Cable: 60W max.

Output:

USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/5A, 100W max.

USB-C2 cable: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/5A, 100W max.

USB-A: 5V/3A, 9V/3A, 10V/2.25A, 12V/2.5A,
30W max.

USB-C1+USB-C2 cable+USB-A=5V/3A

Size: 124*48*43.5mm

Weight: 330g



165 W
25000mAh

P091

Input:

USB-C1: 65W max.

USB-C2 cable: 65W max.

Output:

USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A,
20V/5A, 100W max.

USB-C2 cable: 5V/3A, 9V/3A, 12V/3A,
15V/3A,
20V/5A, 100W max.

USB-A: 5V/3A, 9V/3A, 10V/2.25A, 12V/2.5A,
30W max.

USB-C1+USB-C2 cable=100W+65W

USB-C1+USB-A=5V/4.8A

USB-C2 cable+USB-A=100W+30W

Size: 157*52*48mm

Weight: 570g



45 W
10000mAh

P075

Input:

USB-C1: 30W max.

USB-C2 cable: 30W max.

Output:

USB-C1: 45W max.

USB-C2 cable: 45W max.

USB-A: 18W max.

USB-C1+USB-C2 cable+USB-A=5V/3A

Size: 90*60*26mm

2-in-1 Hybrid Charger



P067 ● ● ● ● ●

Input:

USB-C1: USB-C1/C2 30W max.

AC Input: 100V-240V~, 50-60Hz, 1.5A

Charger mode output

USB-C1/C2: 30W max.

Power bank mode output

USB-C1/C2: 30W max.

Size: 115*52*30mm

Weight: 233g

30 W

10000mAh



22.5 W

10000mAh

P063 ●●

Input:

USB-C1: 18W max.

Output:

USB-C1: 22.5 W max.

USB-C2 cable: 22.5 W max.

USB-A: 22.5W max.

Lightning cable: 20W max.

USB-C1+USB-C2 cable+USB-A+Lightning cable=5V/3A

Size: 115*88*19mm

Weight: 210g



22.5 W

20000mAh

P064 ●●

Input:

USB-C1: 18W max.

Output:

USB-C1: 22.5 W max.

USB-C2 cable: 22.5 W max.

USB-A: 22.5 W max.

Lightning cable: 20W max.

USB-C1+USB-C2 cable+USB-A+Lightning cable=5V/3A

Size: 115*88*30mm

Weight: 330g



22.5 W

5000mAh

P028 ○●●

Input:

USB-C1: 18W max.

Output:

USB-C1 female: 22.5 W max.

USB-C2 male: 22.5 W max.

Lightning cable: 20W max.

USB-C1+USB-C2+Lightning cable=5V/3A

Size: 105.5*66.5*14mm

Weight: 115g

Snap and Charge



Qi2.2 Wireless Charger



35 W

10000mAh

| P096 ● ●

Input:

USB-C: 5V/3A, 9V/2.22A, 12V/1.67A, 20W max.

Output:

USB-C: 5V/3A, 9V/3A, 12V/2.92A, 15V/2.33A,
20V/1.75A, 35W max.

Wireless Charger: 25W max. (Qi2.2)

USB-C+Wireless Charger=5V/4A

Size: 105*69*15.5mm

Weight: 230g

Ultra-thin



20 W

5000mAh

P068

Input:

USB-C: 18W max.

Output:

USB-C: 20W max.

Wireless Charger: 15W max. (Qi2)

USB-C+Wireless Charger=5V/3A

Size: 105*69*8.6mm

Weight: 129g



35 W

10000mAh

P074

Input:

USB-C: 20 W max.

Output:

USB-C: 35 W max.

Wireless Charger: 15W max. (Qi2)

USB-C+Wireless Charger=5V/3A

Size: 105*69*15.5mm

Weight: 280g



22.5 W

5000mAh

P039

Input:

USB-C: 18W max.

Output:

USB-C: 22.5 W max.

Wireless Charger: 15W max. (Qi2)

USB-C+Wireless Charger= 5V/3A

Size: 106*66*12mm

Weight: 160g

Ultra-thin



Ultra-thin



20 W

5000mAh

P062



Input:

USB-C: 18W max.

Output:

USB-C: 20W max.

Wireless Charger: 15W max.

USB-C+Wireless Charger= 5V/3A

Size: 104*67*12mm

Weight: 126g

Ultra-thin



20 W

5000mAh

P026

Input:

USB-C: 18W max.

Output:

USB-C: 20W max.

Wireless Charger: 15W max.

USB-C+Wireless Charger=5V/3A

Size: 105.5*70.2*9.3mm

Weight: 110g



30 W

10000mAh

P030

Input:

USB-C: 30W max.

Output:

USB-C: 30W max.

Wireless Charger: 15W max.

USB-C+Wireless Charger=5V/3A

Size: 106*71*19.2mm

Weight: 210g



65 W

10000mAh

P040

Input:

AC 100-240V~, 0.8A, 50/60Hz USB-C1: 18 W max.

Charger mode output:

USB-C1: 65W max. USB-C2: 22.5W max.

USB-A: 22.5W max.

USB-C1+USB-C2+USB-A=5V/3A

Power bank mode output:

USB-C1: 30W max. USB-C2: 22.5W max.

USB-A: 22.5W max.

USB-C1+USB-C2+USB-A= 5V/3A

Size: 120*73*30mm Weight: 560g



Semi-solid
state battery



35 W

10000mAh

P098   

Input:

USB-C1: 30W max.

USB-C2 cable: 30W max.

Output:

USB-C: 5V/3A, 9V/3A, 10V/2.25A, 12V/2.92A, 15V/ 2.33A, 20V/1.75A, 35W max.

USB-C2 cable: 5V/3A, 9V/3A, 10V/2.25A, 12V/2.92A, 15V/ 2.33A, 20V/1.75A, 35W max.

USB-A: 5V/3A, 9V/2A, 10V/2.25A, 12V/1.5A, 18W max.

USB-C1+USB-C2 cable+USB-A= 5V/3A

Size: 113.5*64*24mm

Weight: 320g



140 W
27600mAh

P029 ●

Input:

USB-C1/C2: 140W max.

Output:

USB-C1/C2: 140W max. USB-A1/A2: 22.5W max.

C1+C2=65W+65W

C1+A1/A2=65W+22.5W C2+A1/A2=65W+22.5W

A1+A2= 5V/3A

C1+(C2+A1/A2)=65W+22.5W

C1+(A1+A2)=65W+5V/3A C2+(A1+A2)=65W+5V/3A

C1+C2+(A1+A2)=65W+15W+5V/3A

Size: 115.5*78.5*50.3mm

Weight: 620g



20 W
20000mAh

P037 ●

Input:

Micro-USB: 18W max.

USB-C: 18W max.

Output:

USB-C: 20 W max.

USB-A1/A2: 20 W max.

USB-C+USB-A1+USB-A2=5V/3A

Size: 139.5*68.7*28.2mm

Weight: 410g



20 W
10000mAh

P041 ○ ●

Input:

Micro-USB: 18W max.

USB-C: 18W max.

Output:

USB-C: 20W max.

USB-A1/A2: 20W max.

USB-C1+USB-A1+USB-A2= 5V/3A

Size: 140.6*68*16.5mm

Weight: 220g

OEM & ODM

PC And Mobile Electronic Accessories

FULLINK TECHNOLOGY CO., LTD

 +86-755-29696659

 +86-755-29696621

 marketing@fullink.com

 www.fullink.com

 Room 903, Building 1, Runzhi R&D Center, CRB Tech-Innovative City, Xin'an Street, Bao'an District, Shenzhen City, Guangdong Province, China, 518105

